

Laboratory Bench

User and Instruction Guide

Optima™ 2550 Series (US)

Optima™ 2500 Series (Canada)

Optima™ 2100 Series

Altus™ Series



Optima™ 2500 Series Shown

Mott Manufacturing Limited
452 Hardy Road
Brantford, Ontario
N3T 5L8
Canada



SAVE THESE INSTRUCTIONS

Table of Contents

Important Safety Instructions Pg.3

Grounding Instructions Pg.4

Important Safety Instructions

Read All Instructions before using the Optima/Altus Table.

UL listed units equipped with casters have the following load restriction:

- Work Surface: 500 pounds
- Shelves: 100 pounds total

ALWAYS LOAD LOWER SURFACES FIRST TO MAINTAIN TABLE STABILITY

WARNING – To reduce the risk of burns, fire, electric shock, or injury to persons:

When using an electrical furnishing, basic precautions should always be followed, including the following:

DANGER – *To reduce the risk of electric shock:*

NOTE: The Product may have more than one power supply cord, always ensure that both cords are unplugged before movement, testing or repair.

1. Always unplug this furnishing from the electrical outlet before cleaning.
2. Unplug from outlet before putting on or taking off parts.
3. Close supervision is necessary when this furnishing is used by, or near children, invalids, or disabled persons.
4. Use this furnishing only for its intended use as described in these instructions. Do not use attachments not recommended by the manufacturer.
5. Never operate this furnishing if it has a damaged cord or plug, if it is not working properly, if it has been dropped or damaged, or dropped into water. Return the furnishing to a service center for examination and repair.
6. Position table close enough to receptacle such that an extension cord is not needed.
7. Keep the cord away from heated surfaces.

8. Never operate the furnishing with the air openings blocked. Keep the air openings free of lint, hair and the like.
9. Never drop or insert any object into any openings.
10. Do not use outdoors.
11. Do not operate where aerosol (Spray) products are being used or where oxygen is being administered.
12. To disconnect, turn all controls to the off position, then remove plug from outlet.
13. For loading always put heavier items at the bottom and not near the top in order to help prevent the possibility of the furnishing tipping over.

GROUNDING INSTRUCTIONS

Warning:

Risk of Electric Shock – Connect this furnishing to a properly grounded outlet only. See Grounding Instructions below.

This product must be grounded, if it should malfunction or breakdown, grounding provides a path of least resistance for electric current to reduce the risk of electric shock. This product is equipped with a cord having an equipment-grounding conductor and a grounding plug. The plug must be plugged into an appropriate outlet that is properly installed and grounded in accordance with all local codes and ordinances.

Danger:

Improper connection of the equipment-grounding conductor can result in a risk of electric shock. Check with a qualified electrician or service person if you are in doubt as to whether the product is properly grounded. Do not modify the plug provided with the product – if it will not fit the outlet. Have a proper outlet installed by a qualified electrician.